

SEABOARD TIMBER MART®

www.seaboardindustrial.ca

sales@seaboardind.ca
902-564-0400

SAFETY EQUIPMENT & SUPPLIES PROMOTION!

20" High Velocity Pedestal Fan

- 3-speed, 120 V/60 Hz, 1/5 HP motor
- All-metal construction
- Chrome grill, black painted base
- Head tilting capability of 360°
- Adjustable height
- 6' SJT type power cord



Model No.	High	CFM Med	Low	Promo Price
EA289	5950	4550	3850	131.00

Passive Ear Muffs

- Precise and secure fit provided by smooth, telescopic adjustment
- Designed for lasting comfort with extra-soft memory foam cushions and low weight padded headband
- High quality insulating and sound dampening materials in these noise-blocking ear muffs help reduce sound levels
- ANSI Certifications: ANSI S3.19

SHL233



SHL234



Model No.	Style	NRR DB	Colour	Promo Price
SHL232	Headband	25	Yellow	11.19
SHL233	Headband	28	Black & Red	14.19
SHL234	Cap Mount	27	Yellow	11.95

Printed in Canada

Running Man Sign with Security Lights

- New easy click design allows for fast installation
- Single face or double face orientation
- Various mounting orientation (wall, side, ceiling)
- Ideal for use in offices, schools and warehouses
- Housing Material: Steel
- Backlight Bulb Type: LED
- Length: 12-1/10"
- Width: 11"
- Battery Operated, Hardwired
- Emergency Battery Duration: 2 hours



Model No.	Battery	Promo Price
XI790	Lead-acid battery (6V 6Ah)	129.00

Compliance Fall Protection Roofer's Kit

- **Includes:** V8229100 Reusable Roof Anchor Bracket, FBH-10002A Compliance Harness, SA-3206-2 SP Lanyard with Integral ADP Rope Grab, VL-1825-50 Vertical Lifeline, 15 L (4 gal.) Waterproof Pail



Model No.	MFG No.	Promo Price
SHE932	V8257045	139.00

Pricing in effect until June 26, 2026 or while quantities last. Taxes and freight extra. Issue #SDS226041NA

Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices and minimum order multiples are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.

Z3000 Series Safety Glasses

- Modern, full-frame design with extended wraparound coverage
- Scratch-resistant, polycarbonate lens with UV protection
- Ultra-soft, non-slip nosepiece
- Black frame
- Standard(s) Met: ANSI Z87+, Meets/Exceeds CSA Z94.3
- Lens Coating: Anti-Fog, Anti-Scratch



SGU276



SGU277



Model No.	Lens Tint	Promo Price
SGU276	Clear	4.55
SGU277	Grey/Smoke	4.65

Uvex® SVP 200 Series Safety Glasses

- Dielectric, 10 base wraparound lens offers optimum protection
- Frameless, very lightweight and low-profile at 15 grams – perfect for all-day wear and fits most facial profiles
- Temple tips are flexible and comfortable
- Molded nosepiece
- Standard(s) Met: ANSI Z87+, Meets/Exceeds CSA Z94.3
- Lens Coating: Anti-Scratch

SGG292



SGG296



Model No.	MFG No.	Lens Tint	Frame Colour	Promo Price
SGG290	SVP200	Clear	Clear	1.69
SGG292	SVP202	Grey/Smoke	Grey	1.75
SGG296	SVP206	Blue/Mirror	Blue	3.09

Uvex® Bionic™ Shield

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Height: 8-1/2"
- Width: 16-1/2"
- Thickness: 0.06"
- Material: Polycarbonate
- Shield Tint: Clear
- Suspension Type: Ratchet
- Standard(s) Met: Meets/Exceeds CSA Z94.3

SAK421



Model No.	MFG No.	Description	Promo Price
SAK421	S8500	Clear uncoated faceshield	44.99
SAK422	S8510	Clear anti-fog hardcoat faceshield	54.99

Adapt Safety Glasses

- The toric lens shape in ADAPT glasses gives extra space for the eyewear to fit with respirators
- The bottom rims in ADAPT glasses were shortened, giving extra space on the nose for secure-fitting masks
- Anti-fog coating keeps vision clear with or without a mask
- Soft flexible flange helps protect against flying particles
- Standard(s) Met: ANSI Z87+, Meets/Exceeds CSA Z94.3
- Lens Coating: Anti-Fog, Anti-Scratch
- Anti-Fog Coating: Two Sided NK-100

SHH509



SHH508



SHH507



Model No.	MFG No.	Lens Tint	Promo Price
SHH509	5002C-1	Clear	13.49
SHH508	5002S-1	Smoke	14.05
SHH507	5002A-1	Amber	14.55

Avatar Plus™ Safety Goggles

- HydroShield® anti-fog patented technology which helps ensure fog-free vision in diverse and challenging working conditions
- Polycarbonate, toric lens
- Polypropylene, elastomer goggle body
- Quick-adjust latex-free headband
- Standard(s) Met: Meets/Exceeds CSA Z94.3, ANSI Z87+
- Lens Coating: Anti-Fog, Anti-Scratch
- Band Type: Elastic



Model No.	MFG No.	Lens Tint	Promo Price
SHL030	AG01CLHS	Clear	21.99

Dynamic™ Faceshield

- For facial protection against droplets coming from people's mouths
- Visor and suspension can be easily cleaned
- Height: 8"
- Width: 15"
- Thickness: 0.02 mils
- Material: PETG
- Suspension Type: Pinlock
- Suspension Material: HDPE



Model No.	MFG No.	Shield Tint	Promo Price
SGU312	FAHG320KIT	Clear	5.59

Front-Brim Helmet with Bolt™ Headlamp Mount

- Includes a Bolt™ Headlamp Mount that works with most headlamps
- Includes a Bolt™ Marker Clip for easy access to pens and markers
- Four Bolt™ accessory slots and two universal accessory slots that easily integrate additional personal protection equipment and accessories
- Comfortable padded suspension
- Suspension Type: Ratchet
- Certification(s): ANSI Type II
- Class: ANSI Class C



SHA051

Milwaukee

Model No.	MFG No.	Colour	Promo Price
SHA055	48-73-1330	Black	111.99
SHA045	48-73-1320	White	111.99
SHA051	48-73-1326	Green	111.99

Grand Slam II Bump Caps

- For low-hazard area protection against minor bumps and lacerations
- Hard shell with crown foam pads for maximum comfort and fit
- Super-lightweight
- Well-vented for increased comfort during hot, sunny days



SGC422

Model No.	MFG No.	Colour	Promo Price
SGC425	HP946-11	Black	13.95
SGC422	HP946-08	Navy Blue	13.95
SGC423	HP946-15	Red	13.95
SGC424	HP946-09	Grey	13.95

Howard Leight™ Laser-Trak™ Single-Use Detectable Earplugs

- Self-adjusting foam expands to fit virtually every wearer
- Non-ferrous metal and bright colours are easily detected by visual and automated inspections
- Blue metalized cord offers additional protection in highly-sensitive production areas
- Contoured T-shape for easy handling and wear
- NRR dB: 33
- Size: One-Size
- Certification(s): Meets/Exceeds CSA Class AL
- Packaging: Pair - Polybag
- Qty/Box: 100 pairs



Model No.	MFG No.	Promo Price
SAK189	LT-30	44.49/Box

Kilimanjaro™ Hardhats

- Added sun protection to ears & neck from harmful UV rays and protection from falling materials & debris
- Sleek & attractive design
- High density polyethylene shell
- Accessory slots & chin strap attachments
- Suspension Type: Ratchet
- Certification(s): ANSI Type II, Meets/Exceeds CSA Type 2
- Class: Meets/Exceeds CSA Class E

PIP
GLOBAL SAFETY




SFY807

Model No.	MFG No.	Colour	Promo Price
SFY820	HP642R/01	White	34.99
SFY796	HP642R-09	Grey	34.99
SFY823	HP642R/02	Yellow	34.99
SFY807	HP642R/08	Navy Blue	34.99

Howard Leight™ Quiet® Earplugs

- Patented no-roll design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- Built-in insertion stem makes insertion quick and easy
- NRR dB: 26
- Size: Regular
- Certification(s): Meets/Exceeds CSA Class AL
- Qty/Box: 100 prs.

SAK351



SE359

PIP
GLOBAL SAFETY

Model No.	MFG No.	Description	Promo Price
SAK351	QD1	Uncorded, Polybag	48.95/Box
SE359	QD30	Poly cord, Polybag	80.65/Box

Howard Leight™ VeriShield™ 100 Series Dielectric Passive Earmuffs

- Comfortably fits a wide range of head sizes
- Wide cup opening is ideal for workers with large ears, or who wear hearing aids
- Lightweight cushioned headband
- Memory foam ear cushions



SGS320

PIP
GLOBAL SAFETY

Model No.	MFG No.	Meets/Exceeds CSA Class	NRR dB	Attenuation Level	Promo Price
FOLDING HEADBAND					
SGS320	1035198-VS	A	25	Low/Flat	22.99
HEADBAND					
SGS321	1035192-VS	A	26	Mid	25.99
SGS323	1035195-VS	AL	29	High	32.79

7700 Series Half-Mask Respirators

- Non-allergenic silicone facepiece material conforms to facial features and doesn't harden with age
- Easy to clean, extremely durable and resists distortion, ensuring a better fit
- Contoured sealing flange and cradle suspension system eliminates discomfort caused by pressure points on facial nerves
- Minimal dead air space improves worker comfort by limiting rebreathing of exhaled air
- Facepiece Material: Silicone

PIP
GLOBAL SAFETY



Model No.	MFG No.	Size	Promo Price
ZC352	770030S	Small	37.49
SM802	770030M	Medium	37.49
SA788	770030L	Large	37.49

Squids® 3158 Hardhat Tool Lanyards

- Coil design reduces lanyard length and prevents snag and tangle hazards while maintaining the workers range of motion
- Comfortably attaches to hard hats and other headwear to prevent item from falling
- Clamp connecting lanyards feature an easy release clamp that attaches to just about anything
- Third party tested using a 2:1 safety factor
- Load Rating: 2 lbs.
- Length: 12" - 48"

ergodyne
WORK GEAR



Hardhat not included

SDL092

Model No.	MFG No.	Colour	Connection Type	Promo Price
SDL089	19156	Black	Clip	7.79
SDL090	19157	Lime	Buckle	7.79
SDL091	19158	Black	Clamp	6.99
SDL092	19159	Lime	Clamp	6.99

Arsenal® 5970 Swiveling Hook Hoist Bucket

- Molded plastic top ring to maintain wide opening for viewing and accessing contents
- High tensile strength web handle with leather reinforcement
- Heavy-gauge nylon stitching
- Interior pocket
- Load Rating: 100 lbs.
- Diameter: 12.5"
- Height: 15"
- Nylon Grade: 840D

ergodyne
WORK GEAR



Model No.	MFG No.	Promo Price
SGS624	14970	93.99

Particulate Respirators

- Contoured facial seal, fully adjustable head straps, and adjustable nose clip offer a comfortable secure fit
- Exhalation valve reduces hot air buildup to facilitate breathing in humid environments
- Certification(s): NIOSH • Size: Medium/Large
- Style: Cup • With Exhalation Valve
- Type: P100 • Qty/Box: 5

ZENITH
Safety Products



Model No.	Promo Price
SDN714	41.99/Box

H100 Harnesses

- Meets the most common fall protection needs while maintaining a focus on value and safety
- Covering protects the identification label during the life of the harness
- Lightweight and more comfortable
- Visible distinctive colour
- Type: Fall Arrest • CSA Class: A
- Weight Capacity: 420 lbs.
- D-Rings: Back
- Leg Strap Connections: Tongue Buckle
- Chest Strap Connections: Pass-Through/Mating
- Back D-Ring Material: Steel
- Webbing: 1-3/4" Polyester

SHA921



PIP
GLOBAL SAFETY

Model No.	MFG No.	Size	Promo Price
SHA921	H13110021	Small, Medium	58.99
SHA922	H13110022	Universal	58.99
SHA923	H13110023	2X-Large, 3X-Large	58.99

Miller™ TurboLite™+ Personal Fall Limiter

- Enhanced graphics, icons, and colours on UV-resistant scratch-proof labeling
- New Miller look and feel, designs aligned with Honeywell harnesses for mix and match protection
- High-impact resistant nylon housing
- Abrasion-resistant webbing helps provide long service life
- Lifeline Length: 6'
- No. of SRLs: 1
- Stationary
- Unit Connector: Carabiner
- Unit Connector Material: Steel
- Lifeline Connector Material: Steel
- CSA Certification: SRL
- Max. Working Capacity: 310 lbs. (141 kg)
- Hub: Shock-Absorbing Engineered Co-Polymer
- Braking Mechanism: Stainless Steel
- Thread: Polyester
- Standard(s) Met: OSHA 1926.502, ANSI Z359.14, CSA Z259.2.2

SHH407

PIP
GLOBAL SAFETY

SHG675



Model No.	MFG No.	Lifeline Connector	Promo Price
SHH407	MTL-OHW1-01/6FT	Locking Snap Hook	186.99
SHG675	MTL-OHW1-02/6FT	Locking Rebar Hook	179.99

Ultimate Dexterity Coated Gloves

- Excellent abrasion resistance
- Premium comfort and breathability
- 13-gauge seamless polyester knit provides ultimate dexterity and reduces hand fatigue
- Superior dry grip
- Ultra soft polyurethane coated palm
- Coating Style: Dipped Palm
- EN 388 Performance Levels: 4141
- EN 420 Dexterity Level: 5
- **Must be ordered in multiples of 12**



ZENITH
Safety Products

Model No.	Size	Promo Price
SAX694	X-Small, 6	0.95/Pair
SAX695	Small, 7	0.95/Pair
SAX696	Medium, 8	0.95/Pair
SAX697	Large, 9	0.95/Pair
SAX698	X-Large, 10	0.95/Pair
SAX699	2X-Large, 11	0.95/Pair

TouchNTuff® 92-600 Gloves

- Nitrile with smooth fingertips
- Contains absolutely no fillers, silicones or plasticizers
- Provide three times the puncture resistance of competitive latex or vinyl gloves
- Durable yet soft for improved comfort
- Length: 9.5"
- Thickness: 5-mil • Finish: Untextured
- Colour: Green • Powder-Free
- Cuff Style: Rolled
- Grade: AQL 1.5
- Qty/Box: 100



Ansell

Model No.	MFG No.	Size	Promo Price
SAW927	9260011070	Small	16.85/Box
SAW928	9260011080	Medium	16.85/Box
SAW929	9260011090	Large	16.85/Box
SAW930	9260011100	X-Large	16.85/Box

Hyflex® 11-800 Gloves

- Light-duty foam nitrile coated
- Knit nylon liner
- Excellent grip in light oil applications, oil is channelled away from the glove surface
- Highest level of comfort and protection
- Resistant to snags and abrasions
- Gauge: 15
- Coating Style: Dipped Palm
- Cuff Style: Knit
- Colour: Grey/White



Ansell

Model No.	MFG No.	Size	Promo Price
SAW921	1180011060	X-Small, 6	3.75/Pair
SAW922	1180011070	Small, 7	3.75/Pair
SAW923	1180011080	Medium, 8	3.75/Pair
SAW924	1180011090	Large, 9	3.75/Pair
SAW925	1180011100	X-Large, 10	3.75/Pair
SAW926	1180011110	2X-Large, 11	3.75/Pair

Longhorn Fitters Gloves

- Economy-grade full-grain cowhide leather
- Cotton drill back
- Full leather index finger, pulse protector, knuckle bar and hooded fingertips
- Outside elastic wrist
- Slip-on style safety cuff



WATSON GLOVES
Quality since 1918

Model No.	MFG No.	Size	Promo Price
SHJ782	A281E-M	Medium	7.99/Pair
NJZ096	A281E-L	Large	7.99/Pair
SHJ784	A281E-X	X-Large	7.99/Pair

Deny® Cut-Resistant Gloves

- Nitrile palm coating over full glove coating
- Elastic knit wrist with hemmed cuff
- Liquid-resistant
- Gauge: 13
- Shell Material: HPPE
- Coating Style: Full Dip
- Cut Resistance: ASTM ANSI Level A3, EN 388 Level C
- Abrasion Resistance: EN 388 Level 4
- Tearing Strength: EN 388 Level 4
- Puncture Resistance: EN 388 Level 3



Model No.	MFG No.	Size	Promo Price
SHB132	99-1-9660-7	Small, 7	9.29/Pair
SGV995	99-1-9660-8	Medium, 8	9.29/Pair
SGV996	99-1-9660-9	Large, 9	9.29/Pair
SGV998	99-1-9660-10	X-Large, 10	9.29/Pair
SGV997	99-1-9660-11	2X-Large, 11	9.29/Pair

BDG
BOB DALE GLOVES

Original® High-Visibility Work Gloves

- Form-fitting, breathable TrekDry® material keeps hands cool and comfortable
- Adjustable Thermoplastic Rubber (TPR) wrist closures create a secure fit
- Reflective ink on fluorescent material creates eye-catching luminance
- Reinforced thumb and index finger support for added durability
- Touchscreen capable synthetic leather keeps you connected while you work
- Palm Material: Synthetic
- Abrasion Resistance Rating: EN 388 Level 3
- Cut Resistance Rating: EN 388 Level 1
- Tearing Strength Rating: EN 388 Level 2
- Puncture Resistance Rating: EN 388 Level 1



Model No.	MFG No.	Size	Promo Price
NKE427	SMG-91-009	Medium, 9	23.99/Pair
NKE428	SMG-91-010	Large, 10	23.99/Pair
NKE429	SMG-91-011	X-Large, 11	23.99/Pair

MECHANIX WEAR

Disposable Sleeves

- 0.02 mm polyethylene
- Elastic at both ends
- Length: 18"
- Qty/Bag: 100



SFU586



Model No.	Colour	Promo Price
SFU586	Blue	4.79/Bag
SGZ815	White	5.45/Bag

Beard Nets

- Elasticized band for an optimum fit
- Covers beard and mustache
- 100% latex-free
- Material: Polypropylene
- Size: One size fits all
- Qty/Pkg.: 100



SEC384



Model No.	Colour	Description	Material	Promo Price
SEC383	White	One string behind head	Polypropylene	3.99/Pkg.
SEC384	White	Two strings behind ears	Polypropylene	3.99/Pkg.
SGY078	White	One string behind head	Nylon	7.45/Pkg.
SGY079	Brown	One string behind head	Nylon	7.45/Pkg.

RZ300 Rain Suits

- 0.20 mm thick unsupported yellow PVC material
- Jacket features storm flap, dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Ultrasonically-welded seams



Model No.	Size	Promo Price
SEH092	Small	15.15
SEH093	Medium	15.15
SEH094	Large	15.15
SEH095	X-Large	15.15
SEH096	2X-Large	15.40
SEH097	3X-Large	15.40
SEH098	4X-Large	16.15

Polyethylene Aprons

- Disposable, 0.02 mm thick polyethylene apron
- This bib-style apron is 35" x 46" with waist ties
- Accepted for use in Canadian food processing facilities
- Qty/Pkg.: 100



Model No.	Colour	Promo Price
SEK351	White	10.45/Pkg.
SGR277	Blue	10.45/Pkg.

Hooded Coveralls

- Zipper front with storm flap, attached hood, elastic wrists and ankles
- Microporous film laminated to a polypropylene substrate
- Offers protection against liquid, dust, and light chemical splashes
- High quality, lightweight, microporous fabric provides comfortable fit and breathability
- Fabric Weight: 1.41 oz/yd² (48 g/m²)
- Colour: White
- Qty/Case: 50



Model No.	Size	Promo Price
SGM432	Medium	3.35/Ea.
SGM433	Large	3.35/Ea.
SGM434	X-Large	3.35/Ea.
SGM435	2X-Large	3.35/Ea.
SGM436	3X-Large	3.35/Ea.
SGM437	4X-Large	3.35/Ea.
SGM438	5X-Large	3.35/Ea.

Disposable Poncho

- Ideal for jobsites and other outdoor events
- Individually packaged for easy and convenient storage
- Heat-sealed seams
- Features attached hood and roomy sleeves
- Material: LDPE
- One Size
- Colour: Blue
- Size: 50" x 80"
- Thickness: 0.02 mm
- Qty/Pkg.: 10



Model No.	Promo Price
SHB893	12.55/Pkg.

Bacteriostatic Water Preservative

- Sterile bacteriostatic additive permits storage of the water for up to four months
- Size: 8 oz.
- Qty/Box: 4



Model No.	MFG No.	Promo Price
SAR315	9082	111.99/Box

Eyewash Station

- Cost effective solution for applications with an existing faucet
- Mounts to standard or gooseneck type faucets
- Twin spray heads include a flow control and pop-off dust covers
- One-step activation
- Installation Type: Sink Mount
- Standard(s) Met: ANSI Z358.1
- Includes a safety sign and inspection tag



Model No.	MFG No.	Promo Price
SAK621	S19-200B	144.99

Dielectric Zenex™ Padlocks

- Designed exclusively for lockout/tagout applications
- Plastic shackle helps prevent electrocution and arc flashing, also prevents electrical current from shackle to key
- All components are non-sparking and non-magnetic plastic, copper and brass
- Type: Safety Padlock
- Body Width: 1-1/2"
- Shackle Diameter: 1/4"
- Shackle Clearance Height: 1-1/2"
- Shackle Clearance Width: 25/32"
- Body Material: Thermoplastic
- Shackle Material: Nylon
- Key Type: Keyed Different
- Body Height: 1-3/4"



Model No.	MFG No.	Colour	Promo Price
SAR835	406YLW	Yellow	19.45
SAR840	406TEAL	Teal	19.45
SAR833	406RED	Red	19.45
SAR839	406PRP	Purple	19.45
SAR834	406ORJ	Orange	19.45

Eyewash Station

- 9-gallon high-density green polyethylene tank made from FDA compliant materials
- Gravity fed to supply a continuous flow of water for 15 minutes at 0.4 GPM
- Easy-to-operate yellow activation arm protects eyewash spouts when not in use
- Wide-fill opening with threaded cap allows easy inspection, cleaning and filling
- Type: Gravity-Fed
- Standard(s) Met: ANSI Z358.1



Model No.	MFG No.	Promo Price
SAR314	7501	359.00

Grip Tight™ Lockouts

- Fits all American Lock® and Master Lock® safety padlocks and hasps
- Two products replace at least five. SAO595 is used for single and double breaker toggles, while SAO594 is appropriate for tall and wide breaker toggles
- Narrow profile permits side-by-side breaker lockout
- Grips tight with a simple thumb turn and clamping handle
- Type of Electrical Device: Circuit Breaker



Model No.	MFG No.	Description	Promo Price
SAO595	493B	Standard Single and Double Toggles	10.19
SAO594	491B	Tall & Wide Toggles	13.69
SAO707	506	Set of one each SAO594 and SAO595	23.49

Latch Tight™ Lock Boxes

- Can only release when no padlocks are fastened to the lock box
- Has lockout points for 14 padlocks or hasps
- Powder coated finish on heavy-duty steel box and stainless steel handle withstand harsh industrial environments
- Unit can be mounted to a wall or carried with the comfortable form fitted handle



Model No.	MFG No.	Promo Price
SAO597	503RED	106.00

Sound Level Meter and Calibrator Kit

- The kit includes the R8050 Sound Level Meter, the R8090 Sound Level Calibrator (SC-05), the R8888 Hard Carrying Case with Laser Etched Custom Foam Interior (specifically designed for the included instruments), as well as a wind shield ball and batteries
- Frequency Weighting: A/C
- Measuring Range: 30 - 130 dB
- Not Data Logging
- Frequency Range: 31.5 Hz to 8 kHz
- Time Weighting: Fast/Slow (125ms and 1s)
- Display: 4-digit LCD
- Auto Shut-off: Yes (after 15 mins)
- Power Supply: 9V battery
- Battery Life: Approx. 50 hours
- Product Certifications: CE, IEC 61672-1 Class 2, ANSI S1.4-1983
- Operating Temperature: 32 to 104°F (0 to 40°C)
- Operating Humidity: 10-90%



REED

Model No.	MFG No.	Promo Price
IB831	R8050-KIT	485.50

Infrared Thermometer

- Built-in laser pointer identifies target area
 - Digitally adjustable emissivity
- Max, min, average and differential readings
 - Backlit display
 - Temperature Range: -25.6°- 752° F (-32° - 400° C)
 - Spot Size Ratio: 12:1
 - Emissivity: Adjustable
- Accuracy: $\pm 4^{\circ}(2^{\circ})$ or $\pm 2\%$ rdg.



REED

Model No.	MFG No.	Promo Price
IB967	R2300	71.50

Hand Tally Counters

- Recommended for applications where operator must be mobile, such as checking meeting attendance, taking warehouse inventories, etc.
 - Count Range: 4 Digits



BAKER
INSTRUMENTS

Model No.	MFG No.	Promo Price
HD317	B1100	14.50

Data Logging Indoor Air Quality Meter with Humidity Calibration Standards

- **Includes:** R9905 Data Logging Indoor Air Quality Meter, R9933 33% Humidity Calibration Standard, R9975 75% Humidity Calibration Standard
- Measures carbon dioxide (CO₂), temperature, humidity and automatically calculates time-weighted average (TWA) and short-term exposure Limit (STEL)
- CO₂ Range: 0 - 30000 ppm
- Temperature Range: -4°- 140° F (-20° - 60° C)
- Humidity Range: 0% - 100% RH



REED

Model No.	MFG No.	Promo Price
IC861	R9905-KIT	685.00

Wet-Bulb Globe Temperature (WBGT) Heat Stress Meter

- Measures ambient temperature, humidity, wet bulb temperature, black globe temperature, WBGT (wet bulb global temperature), heat stress index, dew point and pressure
- Heat Stress Index measures how hot it feels when humidity is combined with temperature, air movement and radiant heat
- Black Globe Temperature (GT) monitors the effects of direct solar radiation on an exposed surface
- Humidity Range: 0% - 99.9% RH
- Product Certifications: CE, RoHS
- Air Temperature Range: 0 to 50°C (32 to 122°F)
- Power Supply: 4 x AAA Batteries, Optional AC Adapter



REED

Model No.	MFG No.	Promo Price
IB908	R6200	198.00

SW600 Stopwatch

- Records real time and split times
- Displays hour, minute, second and day of the week
- High contrast digital display
- 1/100th second resolution
- Display Type: Digital
- Accuracy: ± 3 seconds/day
- Timing Capacity: 9:59:59
- Water Resistant

REED



Model No.	MFG No.	Promo Price
IA742	SW600_	21.75

Twin-Head Work Light

- Adjustable tripod for desired height
- Extendable tripod legs provide greater stability
- LED bulbs included
- Fixtures can adjust 120°
- Certified for sale in Canada by an accredited certification body
- Lumens: 4800
- Wattage: 40 W
- Housing Material: Aluminum
- Voltage: 120 V



AURORA
TOOLS

Model No.	Promo Price
XG817	139.95

Portable Work Light

- Adjustable tilting head
- LED bulb included
- Certified for sale in Canada by an accredited certification body
- IP65 rating for weather and dust resistance
- Lumens: 2500
- Wattage: 20 W
- Housing Material: Aluminum



AURORA
TOOLS

Model No.	Promo Price
XG816	66.85

Polyurethane Cable Protectors

- Protect your cables or hoses from vehicle and pedestrian traffic
- High-visibility yellow lid features added tabs for a more secure connection between base and lid
- Heavy-duty polyurethane base with LDPE lid for indoor or outdoor use
- Multiple units can be interconnected
- Length: 35.43"
- Width: 19.69"
- Colour: Yellow/Black
- **SHJ532** Bearing Weight: 25 Tons
- **SHJ533** Bearing Weight: 20 Tons



SHJ533



ZENITH
Safety Products

Model No.	No. of Channels	H"	Channel W" x H"	Promo Price
SHJ532	3	3	2.17 x 2.17	260.00
SHJ533	5	2	1.38 x 1.38	240.00

Heavy-Duty Vinyl Extension Cords

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture and provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking
- Gauge (AWG): 14/3
- Type: Outdoor
- Voltage: 300 V
- No. of Outlets: 1
- Trade Designation: SJTW
- Min. Temperature: -40°C (-40°F)
- Max. Temperature: 60°C (140°F)

XC482

AURORA
TOOLS

Model No.	Length'	Amps (A)	Wattage W	Promo Price
XC482	25	15	1875	23.95
XC483	50	15	1875	41.50
XC484	100	13	1625	78.95



Extra Heavy-Duty Vinyl Extension Cords

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture and provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking
- Gauge (AWG): 14/3
- Amps: 15 A
- Type: Outdoor
- Voltage: 300 V
- Wattage: 1875 W
- No. of Outlets: 1
- Trade Designation: SJTW
- Min. Temperature: -40°C (-40°F)
- Max. Temperature: 60°C (140°F)

XC485

AURORA
TOOLS

Model No.	Length'	Promo Price
XC485	25	34.95
XC486	50	61.95
XC487	100	124.95



AFL400 LED Spotlight

- Single LED spotlight has an extremely bright beam featuring long distance visibility
- Spotlight features an additional side-light that can be used as a free-standing lantern
- Certified for sale in Canada by an accredited certification body
- Spotlight is ideal for various applications, such as household work, facility maintenance, general labor and recreational activities
- Lumens (High): 516
- Run Time Hrs. (High): 6
- Battery Type: Rechargeable
- Body Material: Plastic
- Beam Distance (High): 500 m
- Batteries Included
- Side-light Lumens: 180

AURORA
TOOLS



Model No.	Promo Price
XH109	39.99

CSA Compliant T-Shirts

- Fluorescent orange 100% polyester "bird's eye" mesh material
- 3" fluorescent yellow/silver dual reflective stripes
- Upper left breast pocket with hook and loop closure
- Two radio loops
- Material: Polyester
- Standard(s) Met: CSA Z96 Class 2 - Level 2



Model No.	Colour	Promo Price
SEL243	Medium	15.40
SEL244	Large	15.40
SEL245	X-Large	15.40
SEL246	2X-Large	15.40

Standard-Duty Traffic Harnesses

- 1 1/2" lime-yellow/silver reflective stripes
- Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability



Model No.	Size	Promo Price
SEF117	Medium	8.65
SEF118	Large	8.65
SEF119	X-Large	8.65
SEF120	2X-Large	8.65
SEF121	3X-Large	8.65

PVC Traffic Cones

- Temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Available with 6" and 4" reflective collars
- High-density interlocking base offers maximum stability



Model No.	Height"	Base Dim.			Collar"	Promo Price
		W"	x	L"		
SEF026*	18	10-1/4	x	10-1/4	6	12.35
SEF027**	28	13-3/4	x	13-3/4	4	21.70
SEF028*	28	13-3/4	x	13-3/4	6 & 4	24.70

* Meets Minister of Transport regulations for Quebec, Ontario and Alberta

** Meets Minister of Transport regulations for Ontario and Alberta

CSA Compliant Traffic Safety Vests

- Lightweight and comfortable, fluorescent sport mesh knit fabric
- 360° horizontal stripe around torso, two vertical stripes on front and 'X' on back
- 4" reflective stripes offer maximum nighttime visibility
- Front hook and loop closure permits optimal fitting
- Colour: High Visibility Orange
- Material: Polyester
- Standard(s) Met: CSA Z96 Class 2 - Level 2



Model No.	Size	Promo Price
SGI273	Medium	8.65
SGI274	Large	8.65
SGI275	X-Large	8.65
SGI276	2X-Large	8.65



CSA Compliant Surveyor Vests

- Lightweight and comfortable fluorescent sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum night-time visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- **Includes:** Clear plastic pocket for ID badges
- Colour: High Visibility Orange
- Material: Polyester
- Standard(s) Met: CSA Z96 Class 2 - Level 2




Model No.	Size	Promo Price
SEF101	Medium	11.75
SEF102	Large	11.75
SEF103	X-Large	11.75
SEF104	2X-Large	11.75



Retractable Cone Bars

- Designed for use with traffic cones and delineator posts
- Permits to easily and quickly setup a safety barrier
- Lightweight design permits ease of transport and setup
- Made of high quality ABS materials for best durability
- Fluorescent colour for enhanced daytime visibility
- Reflective tape offers maximum nighttime visibility and safety



Model No.	Collapsed Length	Extended Length	Colour	Promo Price
SGS309	4'3"	7'2"	Black/Yellow	10.20
SDP614*	4'5"	7'5"	Black/Orange	32.95

*3M™ Reflective tape

Speed Bump Kits

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil, weather variations, and UV light
- Perfect for speed reduction in parking lots, school zones, and areas with heavy pedestrian traffic
- Black with bright yellow reflective stripes for maximum daytime visibility
- Colour: Black, Yellow
- **Includes:** Speed bump; End caps; Rebar spikes



ZENITH
Safety Products

Model No.	Overall Dim.					Promo Price
	L'	x	W"	x	H"	
SHF708	4	x	11	x	2	138.00
SHF709	6	x	11	x	2	168.00

Safety Baton Light

- High visibility LED light source to safely direct traffic
- Durable weather resistant design with carrying strap
- Two light modes include Steady On and Flashing
- Requires (2) D batteries
- Light Colour: Orange
- Length: 21"



ZENITH
Safety Products

Model No.	Promo Price
SGW959	10.65

Flagging Tape

- Quick and easy way to lay out boundaries
- Non-adhesive
- Brightly coloured tape offers maximum visibility
- Width: 1.1875"
- Material: Vinyl



ZENITH
Safety Products

Model No.	Colour	Length'	Promo Price
SGQ805	Fluorescent Orange	164	2.15
SGQ807	Fluorescent Pink	164	2.15
SHB928	Fluorescent Green	164	2.15
SHB929	Fluorescent Yellow	164	2.15
SGQ806	Red	164	2.15

High-Visibility Delineator Posts

- Standard 42"-high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" high intensity reflective tape collars
- Colour: Orange



ZENITH
Safety Products

Model No.	Base Shape	Dimensions"	Promo Price
SGJ239	Octagonal w/Handle	16 x 16	27.70
SGJ240	Rectangular	15 x 17	27.20

Megaphone

- Up to one mile carry sound range
- Features pistol grip and trigger for 1-hand operation
- Requires 8 "C" batteries
- Includes piercing siren sound for emergency situations
- Power Output: 25-w Peak
- 15 W RMS power output
- Weight: w/o batteries 2.7 lbs., w/batteries 3.9 lbs.
- Dimensions: 15" L x 9" H (cone diameter)




ZENITH
Safety Products

Model No.	Promo Price
SEE894	96.99

Conspicuity Tape

- Impact proof
- UV stable
- Increases visibility in low light or poor visibility situations
- Easy to cut and apply
- Width: 2"
- Length: 150'
- Standard(s) Met: DOT-C2 and FMVSS108, the Standard Set by the Department of Transportation

ZENITH
Safety Products



Model No.	Description	Promo Price
WHITE		
SGU268	-	92.99
RED & WHITE		
SGU269	6" white, 6" red alternating pattern	92.99
SGU270	7" white, 11" red alternating pattern	92.99



EA290

High Velocity Floor Fans

- 3-speed, 120 V/60 Hz, 1/4 HP motor
- All-metal construction
 - 3-prong plug with ground industrial wire
 - Rotates up for vertical airflow



EA528



Model No.	Dia."	High	CFM			Promo Price
			Med	Low		
BLACK FINISH						
EA528	16	2370	1950	1560		80.20
CHROME FINISH						
EA290	18	4725	3850	2975		116.00

High Velocity Floor Fan

- Powerful fan output with 3 speed settings
- Vertical tilt feature and a rotating grill
- Aluminum base
- Diameter: 18"
- No. of Speeds: 3
- Power: 0.087HP (65W)
- Max. Speed Rating: 1300 RPM
- Voltage: 120 V
- Power Cord Length: 6'



Model No.	Promo Price
EB289	121.00

Heavy-Duty Fixed Belt Drive Drum Fan



- Fully enclosed motor
- All-metal construction
 - 9' power cord
- Features 8" casters with easy moving handle
 - No. of speeds: 2
 - Motor: 120V/60 Hz
 - Power: 900 W
 - Amps: 7.5 A



Model No.	Dia."	HP	CFM		Promo Price
			High	Low	
EA662	42	3/4	17900	7400	1150.00

Light Industrial Air Circulating Fans

- All-metal construction, with densely chrome-plated guard
- 6' SJT power cord
- Open motor
- Voltage: 120 V

EA282



EA284



Model No.	Description	HP	CFM			Promo Price
			High	Med	Low	
OSCILLATING, 3 SPEEDS						
EA282*	26" Pedestal	1/4	7525	6060	4050	299.00
EA283*	30" Pedestal	1/3	8775	7500	6780	375.00
EA284	26" Wall Mount	1/4	7525	6060	4050	246.00
EA654	30" Wall Mount	1/3	8775	7500	6780	294.00
NON OSCILLATING, 2 SPEEDS						
EA657*	26" Pedestal	1/4	7700	-	6060	385.00
EA571*	30" Pedestal	1/3	8000	-	7000	269.00
EA655	26" Wall Mount	1/4	7700	-	6060	220.00
EA656	30" Wall Mount	1/3	8000	-	7000	252.00

*Features adjustable height and a heavy-duty round base for added stability

Wall Mount Oscillating Fan

- Rotating or fixed air direction
 - Easy to assemble
- Remote with timer mode included
 - 3 speed with Eco mode feature
 - Diameter: 16"
 - Motor: 120 V/55 Hz



Model No.	CFM				Promo Price
	High	Med	Low	Eco mode	
EA526	1600	1400	1220	940	59.95

Industrial-Duty Air Circulating Fans

- All-metal construction
- 9.8' SJT power cord
- Stem length for pedestal 89-124 cm
- No. of Speeds: 2
- Voltage: 120 V

EA643



EA645



Model No.	Description	Motor Type	HP	CFM		Promo Price
				High	Low	
OSCILLATING						
EA643*	24" Pedestal	Open	1/4	11800	7760	509.00
EA647*	30" Pedestal	Closed	1/3	13200	6700	739.00
EA645	24" Wall Mount	Closed	1/4	11500	7680	398.00
EA649	30" Wall Mount	Closed	1/4	10780	7760	459.00
NON OSCILLATING						
EA642*	24" Pedestal	Open	1/4	11800	7760	348.00
EA646*	30" Pedestal	Closed	1/4	10780	7440	484.00
EA644	24" Wall Mount	Closed	1/4	11500	7680	312.00
EA648	30" Wall Mount	Closed	1/4	10780	7440	346.00

*Features adjustable height and a heavy-duty round base for added stability

Light Industrial Direct-Drive Slim Drum Fans

- All-metal construction, painted black & chrome with aluminum blades
- 6' SJT power cord
- 5" casters and easy-moving handle
- Open motor type
- 360° vertical tilt angle
- Motor: 120 V/60 Hz
- Power: 215 W

EA778



Model No.	Dia."	No. of Speeds	HP	CFM			Promo Price
				High	Med	Low	
EA778	24	3	3/10	7770	6000	4200	181.00
EB114	30	2	1/3	9500	-	6700	383.00

Waterproof Motor Misting & Oscillating Pedestal Fan

- Enclosed/Waterproof motor type (IP44)
- Features adjustable height and heavy-duty round base for added stability
- 9.5' power cord with UL GFCI plug
- All-metal construction, chrome grill stand and base painted black
- HP: 1/7
- Base Diameter: 27"
- Voltage: 120 V
- Power: 220 W
- Diameter: 30"
- No. of Speeds: 3

MATRIX INDUSTRIAL PRODUCTS



Model No.	CFM			Promo Price
	High	Med	Low	
EA779	7200	5470	3780	459.00

Mobile 3-in-1 Air Conditioners

- 3-in-1 system (A/C, fan, and dehumidifier)
 - Features Control panel with LED display on unit with remote control
 - Equipped with casters
 - 24 hour timer
 - Window kit included
 - Portable
 - Voltage: 115 V
 - Frequency: 60 Hz

MATRIX INDUSTRIAL PRODUCTS



EA830



EB118

Model No.	Coverage sq.ft.	BTU Rating	Cooling Speed	Promo Price
11-13/16" W X 12-5/8" D X 27-3/16" H EB118	300 - 350	8000	2	677.00
17-1/3" W X 12-4/5" D X 27-1/3" H EA830	450 - 550	12000	3	682.00

Light Industrial Direct-Drive Drum Fans

- Motor: 120 V/60 Hz
- All-metal construction, painted black
- 6' SJT type power cord
- 6" casters and easy moving handle
- No. of Speeds: 2

EA286



MATRIX INDUSTRIAL PRODUCTS

Model No.	Dia."	HP	Watts	CFM		Promo Price
				High	Low	
EA286	28	2/5	290	8050	6650	233.00
EA288	36	3/5	405	11200	9100	505.00

Air Curtains with Remote Control

- Maintains indoor air quality and saves energy by minimizing air loss through open doorways
- Prevents dust, odours, fumes, and insects, from entering indoors through powerful air flow
- Airflow directed by oscillating louvers
- Mount on the interior of doors, windows, or walls
- Features a 5' long power cord with grounded NEMA 5-15 plug
- No. of Speeds: 2
- Voltage: 120 V
- Maximum Door Height: 10'
- Phase: 1
- Decibels: 56
- Hertz: 60

MATRIX INDUSTRIAL PRODUCTS



EB290

Model No.	Dim. W" x D" x H"	CFM		Promo Price
		High	Low	
EB290	36 x 8-1/2 x 8-5/8	815	670	214.00
EB291	48 x 8-1/2 x 8-5/8	990	816	253.00

Horizontal Window Air Conditioner

- For 450 to 550 sq.ft rooms
- 3 fan speeds
- Washable filter
- Remote control included
- Overall Dimensions: 19" W x 14-19/32" D x 21-13/32" H
- Amps: 15 A
- Voltage: 115 V
- Energy Star Certification: EER 12.0
- Includes: Window filler panel; Mounting hardware

MATRIX INDUSTRIAL PRODUCTS



Model No.	BTU Rating	Promo Price
EB236	12000	520.00

FMX-12™ Dispenser

- Delivers more than 1700 hand washes
- ADA compliant, one-push operation
- Optional key lock included
- Great for locations where a smaller, more traditional dispenser is preferred
- Capacity: 1250 ml
- Style: Push
- Format: Cartridge Refill
- Colour: Black



Model No.	MFG No.	Promo Price
JA408	5155-06	21.69

FMX-12™ Hand Soap

- Great for hand washing in restrooms and kitchens
- Designed for general, light-duty washing
- Pleasant, cranberry fragrance and translucent, pink colour
- Sanitary Sealed™ refill helps prevent contamination
- Type: Foam
- Container Type: Plastic Cartridge
- Net Volume: 1250 ml
- Fragrance: Scented
- Colour: Pink
- Qty/Case: 4



Model No.	MFG No.	Promo Price
JN632	5161-04	111.00/Case

LTX-12™ Dispenser

- High capacity dispenser ideal for high traffic areas
- Large sight window and skylight allow at-a glance product monitoring
- Converts to a locking dispenser at any time by simply removing the key from inside the dispenser
- Removable pump makes recycling easy
- Capacity: 1200 ml
- Style: Touchless
- Format: Cartridge Refill
- Colour: Grey



Model No.	MFG No.	Promo Price
JD463	1984-04	43.89

LTX-12™ Clear & Mild Hand Soap

- Green certified hand soap offers luxurious foam lather in a dye-free formulation
- Enriched with moisturizers and skin conditioners
- Gojo® Sanitary Sealed™ refill helps lock out germs
- Durable, recyclable PET bottle uses 30% less material than standard rigid HDPE
- Type: Foam
- Container Type: Plastic Cartridge
- Net Volume: 1.2 L
- Fragrance: Unscented
- Qty/Case: 2



Model No.	MFG No.	Promo Price
JD459	1911-02	94.99/Case

Pink Lotion Hand Soap

- Leaves hands smelling baby fresh, soft and clean
- Biodegradable, phosphate free
- Accepted for use in Canadian food processing facilities
- Type: Liquid
- 4-L Jug
- Fragrance: Scented



Model No.	Promo Price
NI343	11.99

Anti-Fatigue Matting

- Designed to help prevent injuries and increase worker comfort
- Beveled edging to help prevent tripping
- Easy to clean
- Width: 1-2/3'
- Length: 3-1/4'
- Thickness: 3/4"
- Material: Polyurethane
- Environment: Dry
- Style: Solid
- Surface Type: Diamond

SGW898



Model No.	Colour	Promo Price
SGW898	Black, Yellow	56.99
SGW899	Black	56.99

Disinfectant & Cleaner

- Concentrated and multi-purpose cleaner
- Effective disinfectant against bacteria, fungi, mould and mildew
- Lemon fresh scent
- Controls germs and odours
- Container Size: 4 L
- Container Type: Jug



Model No.	Promo Price
JC686	20.59

Industrial Garbage Bags


- Excellent strength and puncture resistance eliminates the need for double bagging
- Excellent performance when compared to standard in the category
- RMP® garbage bags are certified UL Ecologo® by a well recognized Canadian third party certification body
- UL Ecologo® certified bags are less harmful for the environment
- Strength: X-Strong
- Colour: Black
- Material: Recycled Material
- Type: Open Top



Model No.	Dimensions W" x L"	Qty /Box	Thickness mils	Volume Capacity	Promo Price
JP572	35 x 50	100	1.2	194 L (44 Gal.)	28.99/Box
JM679	26 x 36	125	1.2	45 L (12 Gal.)	19.99/Box
JM680	30 x 38	125	1.2	88 L (20 Gal.)	24.99/Box
JP573	42 x 48	75	1.2	242 L (55 Gal.)	24.99/Box
JO224	50 x 50	50	1.5	242 L (55 Gal.)	25.99/Box

Basic Wall Brackets

- The one-piece bracket kit includes screws, wall anchors, and mounting instructions
- Provides a colour-coded storage option for tools
- Non-slip coating prevents tools from sliding out of the bracket
- One-piece bracket is smooth and easy to clean
- Tool Capacity: 1-3
- Length: 9-1/2"
- Width: 6-1/2"
- Height: 2-1/2"
- Material: Polyamide/PVC



Model No.	MFG No.	Colour	Promo Price
JO020	6155	White	24.99
JO017	6159	Black	24.99
JO021	6154	Red	24.99
JO019	6156	Yellow	24.99
JO023	6152	Green	24.99

Super Concentrated Cleaner & Degreaser



- Heavy-duty formulation
- Biodegradable water soluble
- Accepted for use in Canadian food processing facilities
- Emulsifying agents break down grease, oil and tough stains on contact
- 4-L Jug



Model No.	Promo Price
JA466	22.99

Handles

- For use with Vikan brooms, scrapers, and squeegees
- Accepted for use in Canadian food processing facilities
- Style: Standard
- Material: Aluminum
- Length: 59"
- Diameter: 1-1/4"
- Tip Style: Euro Threaded

JL176 JL178

JL175



Model No.	MFG No.	Colour	Promo Price
JL176	29373	Blue	36.69
JL175	29372	Green	36.69
JL103	29374	Red	36.69
JL177	29375	White	36.69
JL178	29376	Yellow	36.69
JL834	29379	Black	36.69

Foam Blade Squeegees

- Excellent on all types of floors, as the soft rubber reaches into and cleans all spaces on the floor, such as grouting between tiles
- Cartridge system blades can be removed for easy cleaning and replaced when worn out
- Blade Length: 24"
- Blade Style: Straight
- Block Material: Polypropylene
- Blade Material: Foam Rubber



Model No.	MFG No.	Colour	Promo Price
JL841	77543	Blue	38.89
JL840	77542	Green	38.89
JL842	77544	Red	38.89
JL843	77545	White	38.89
JL844	77546	Yellow	38.89
JL158	77549	Black	38.89

Dusting & Cleaning Cloths

- Perfectly sized at 16" x 16", this cloth tackles big messes yet folds up neatly for small jobs
- Lightweight but mighty at 250 GSM, it grabs dust, dirt, and smudges with ease
- Material: Microfibre
- Qty/Pkg.: 12



Model No.	Colour	Promo Price
JQ715	Blue	9.98/Pkg.
JQ716	Green	9.98/Pkg.

Sqwincher® Squeeze Freezer Pops


- The great taste and performance of Sqwincher® in a refreshing frozen treat
- Simply freeze each package, then Squeeze!
- Mixed case consists of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry flavours.
- Serving Size: 3 oz.
- Servings/Package: 150



Model No.	Promo Price
SAM804	139.00/Case

Grease Monkey® Disposable Gloves

- Exceptionally durable with superior abrasion and puncture resistance
- Extended 11" rolled cuff for greater strength and higher wrist protection
- Material: Nitrile
- Thickness: 8-mil
- Finish: Untextured
- Colour: Black
- Powder-Free
- Approval/Certification(s): Accepted for use in Canadian Food Processing Facilities
- Qty/Box: 50



Model No.	MFG No.	Size	Promo Price
NJZ055	5555PF-S	Small	18.99/Box
NJZ054	5555PF-M	Medium	18.99/Box
NJZ053	5555PF-L	Large	18.99/Box
NJZ056	5555PF-X	X-Large	18.99/Box
NJZ057	5555PF-XXL	2X-Large	18.99/Box

Proflex® 670 Ambidextrous Single Strap Wrist Support

- Reversible hook & loop strap
- Supplemental support to help relieve stress associated with repetitive strain and overuse discomfort
- Material: Neoprene
- Ambidextrous



Model No.	MFG No.	Size	Promo Price
SEI541	16612	Small	12.95
SEI542	16613	Medium	12.95
SEI543	16614	Large	12.95
SEI544	16615	X-Large	12.95

Tyvek® 400 Hooded Coveralls

- Features include serged seams, attached hood, front zipper closure, elastic wrists and ankles
- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops sub-micron particles better than reusable garments
- Applications include general maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica
- Colour: White



SAS042



Model No.	MFG No.	Size	Promo Price
SAS042	TY127S-MD	Medium	10.99
SAS043	TY127S-LG	Large	10.99
SAS044	TY127S-XL	X-Large	10.99
SAS045	TY127S-2X	2X-Large	11.59
SAS046	TY127S-3X	3X-Large	12.29
SAS047	TY127S-4X	4X-Large	13.29

Safety Whip® Heavy-Duty Whips

- Heavy-duty, non-powered, fiberglass whip
- Comes with orange, all-weather 11.5"x11.5" mesh flag
- Threaded base 1/2"-20
- Height: 8'
- Length: 8'



Model No.	MFG No.	Flag	Promo Price
SDN981	W08NP-M	Orange	67.99
SDN980	W08NP-SXW	Orange w/Reflective X	82.99

Pricing in effect until June 26, 2026 or while quantities last. Taxes and freight extra. Issue #SDS226041NA

Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices and minimum order multiples are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.