

# SEABOARD TIMBER MART®

www.seaboardindustrial.ca

sales@seaboardind.ca  
902-564-0400

## SHOP ESSENTIALS PROMOTION!

### Soapstone Holder

- Steel adjustable holder for 1/2" x 5" flat soapstone or chalk
- Locking nut soapstone length adjustment
- Durable marking tools for holding fragile marking materials like soapstone and chalk
- Soapstone features highly visible white marking stick cut from natural stone which adheres to metal, stone, concrete and fabrics
- Material: Aluminum
- Sold with one soapstone installed



Model No.	Description	Promo Price
NT639	Flat Soapstone Holder	3.92

### Sqwincher® Squeeze Freezer Pops

- The great taste and performance of Sqwincher® in a refreshing frozen treat
- Simply freeze each package, then Sqweeze!
- Mixed case consists of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry flavours.
- Serving Size: 3 oz.
- Servings/Package: 150



Model No.	Promo Price
SAM804	139.00/Case

### Mini-MIG Welding Cart

- Designed to carry a variety of Mini-MIG, Inverters and Plasma machines
- Cart Material: Steel
- Frame Material: Steel
- Wheel Type: Rubber
- Capacity: 1000 lbs.
- Cylinder capacity: 9 1/2"
- Base Dimensions: 18" W x 36" L
- Nose Plate Dimensions: 18" W x 36" D
- Dimensions: 18" W x 36" D x 17" H



Model No.	Promo Price
ML419	332.00

### WHB1000 Advantage Series ADF Welding Helmet



- Offers excellent neck and head protection
- Made using lightweight materials for excellent comfort and performance
- Designed for use with cartridge respirator
- Features 2 independent arc sensors
- Colour: Black, Red
- Viewing Area: 3.54" L x 1.57" W
- Sensitivity Controls: L/M/H
- Delay Controls: S/M/F
- Dark State: Variable 9-13
- Dark to Light Response Time: 0.1 s / 0.5 s / 0.9 s
- Light State: 4
- Shade Control: External
- Switching Time: 0.01 ms
- Meets ANSI Z87.1 and CAN/CSA Z94.3 standards



Model No.	MFG No.	Promo Price
SHE952	S26100	109.99

Pricing in effect until June 26, 2026 or while quantities last. Taxes and freight extra. Issue #SDW226042NA  
Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices and minimum order multiples are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.

## Heavy Duty Workhorses

- Overbuilt to be the last sawhorse you'll ever need
- Powder coated finish safety yellow
- Capacity: 2000 lbs.
- Material: Steel



**KLETON** CUSTOM

Model No.	O.A. Dim.				Promo Price	
	W"	x	L"	x		H"
VC158	20	x	48	x	36	348.00

## Baling Wire

- Finish: Galvanized
- Length: 13-1/2'
- Gauge: 13 ga.
- Qty./Pkg.: 250



**KLETON**

Model No.	Promo Price
PG705	293.00/Pkg.

## Carton Sizer

- Ideal for cutting boxes down to the desired depth
- Lowers cost on shipping and packaging fill materials
- 12" ruler allows for precise measuring
- Replacement blade: PF346



**KLETON**

Model No.	Promo Price
PF345	22.60

## Rubber Mallet

- Hardwood handle
- Non-marking white rubber head
- Head Weight: 16 oz.
- Face Finish: Plain
- Handle Type: Wood
- Weight: 16 oz.



**AURORA**  
TOOLS

Model No.	Promo Price
TJZ045	8.96

## P1000 Series Measuring Tape

- Hi-Viz® orange case - easy to find on the job
- Rubber cushion case exterior protects tape from impact and improves grip
- Fits easily into most tape holsters
- Bright yellow blade has clear easy-to-read numerals
- Blade Length: 33'/10 m
- Blade Width: 1"
- Graduations: in./cm



CRESCENT  
**Lufkin**

Model No.	MFG No.	Promo Price
TLV619	PHV1410CMEN	27.00

## Telescoping Magnetic Pickup Tool

- Features pocket clip
- Strength: 1.5 lbs.
- Length: 25-1/2"



**GW GEARWRENCH**

Model No.	MFG No.	Promo Price
TNB761	2593	10.50

## XM Series Steel Spring Clamp

- Heavy-duty spring for a tight fit
- Nickel plating prevents corrosion
- Clamping Capacity: 1" (25 mm)
- Throat Depth: 1-1/4"



**BESSEY**

Model No.	MFG No.	Promo Price
NJ5300	XM3-NPT	2.40

## Long Handle Industrial-Duty Scratch Brushes

- Wood handle
- Smooth finish for extra comfort
- Brush Length: 5-3/4"
- Overall Length: 13-3/4"
- Trim Length: 1"
- Fill Material: Carbon Steel



NT607



Model No.	Rows	Promo Price
NT607	3 x 19	3.24
NT608	4 x 19	3.83

## Scotch-Brite™ Roloc™ Surface Conditioning Discs



- Removing surface defects
- Removing light edge burrs, parting lines or flashing
- Removing rust, oxides, corrosion, paints and scale
- Cleaning molds



BP396

Model No.	MFG No.	Dia."	Grit	Colour	Promo Price
BP396	SB05528	2	Coarse	Brown	1.60
BP397	SB05527	2	Medium	Maroon	1.60
BP398	SB05523	2	Very Fine	Blue	1.60
BP400	SB05532	3	Coarse	Brown	2.98
BP401	SB05531	3	Medium	Maroon	2.98
BP403	SB05530	3	Very Fine	Blue	2.98

## Chopcut™ Chop Saw Cut-Off Wheels

- These wheels have been specifically developed for use on portable abrasive chop saws
- They put minimum load on the motor and are therefore easy on the operator as well as on the saw
- General purpose: The wheel of choice for solids; fast cutting rate with long wheel life
- Thickness: 3/32"
- Arbor Size: 1"
- Type: 1
- Abrasive Material: Aluminum Oxide



Model No.	MFG No.	Dia."	Max. RPM	Grade	Promo Price
VV160	10Q123	12	5200	A-30-HC+	12.20
VV161	10Q143	14	4400	A-30-HC+	16.40

## Mounted Wire Brush

- Designed to fit numerous applications on die grinders, power drills or automated equipment
- Brush Diameter: 1-3/8"
- Face Width: 1/4"
- Fill Diameter: 0.008"
- Application Type: Steel
- Arbor Size: 1-1/4"
- Maximum RPM: 25000



Model No.	MFG No.	Promo Price
UE868	13C110	15.00

## Steel Wool

- Ideal for most household projects, including removing rust, dirt, varnish, or stripping paint from exterior woodwork
- Thin metal fibers bundled together easily compress to any shape so pads can be used in hard-to-reach areas and contoured surfaces
- Color coded packaging and grade indicator chart make finding the right grit easy
- Format: Roll
- Grade: 3
- Pack of 12



Model No.	MFG No.	Promo Price
TTV519	7660768118	4.10/Pkg.

## Flat File

- Used by machinists, machinery builders, ship and engine builders, repairman and others who require rapid removal of metal
- Rectangular in cross section and taper slightly towards point in width
- Double-cut on sides, single-cut on edges
- Shape: Flat
- Length: 6"
- Cut Type: Smooth



Model No.	MFG No.	Promo Price
VS482	03533NN	13.00

## Essential® Tool Box with Tray

- Top organizers enable small parts organization
- Latch with geometric lock for smooth and easy use
- New elegant design with sturdy robust appeal
- Pad eye lock enables user to lock the toolbox
- Overall Dim.: 12-1/2" W x 7-3/8" D x 5-1/8" H



**STANLEY**

Model No.	MFG No.	Promo Price
TER083	STST13331	10.90

## Medium ZIPTOP™ Tool Pouch

- Features double pull zipper
- Includes J-clip, tape strap, and measure tape clip
- Fits belts up to 2" wide
- Material: Polyester
- Colour: Black
- No. of Pockets: 8
- Style: Multiple Tool Holder

Tools not included



Model No.	MFG No.	Promo Price
TEP494	EL-1524	26.00

## Compartment Case

- High strength, high quality polypropylene case
- Translucent lid allows for quick view of contents
- Snap latch ensures a secure closure
- Removable dividers allow for different configurations
- Overall Dim.: 10.75" W x 5.375" D x 1.5" H



**AURORA**  
TOOLS

Model No.	Promo Price
CF333	8.06

## Open Top 14" Soft Side Tool Box

- Removable and adjustable metal frame partition slides securely into place to customize tool box to your storage needs
- Plastic reinforced internal pocket for utility knife or other tools
- Sturdy metal handle bar with molded foam grip for easy carrying
- Wide open space below handle for easy access to tool carrier's main compartment
- Colour: Beige
- Material: Polyester
- No. of Pockets: 21



Tools not included



Model No.	MFG No.	Dimensions L" x W" x H"	Promo Price
TJZ969	SW-1578	14 x 11 x 11	75.00

## Heavy-Duty Tool Cart

- Heavy-duty double wall steel construction for added strength
- Quadra level ball bearing slides on all drawers
- Drawers feature soft close technology
- Heavy-duty reinforced bottom support rails for heavier loads
- Power and USB outlets on the side of the cabinet makes it quick and easy to charge your power tools and mobile devices
- No. of Drawers: 7
- Overall Dim.: 28" W x 22" D x 42-3/8" H
- Drawer Capacity: 120 lbs.
- Unit Capacity: 1400 lbs.



**AURORA**  
TOOLS

Model No.	Promo Price
TER069	1168.00

## Roller Tool Cabinet

**DYNAMIC**

- All drawers feature ball bearing slides for smooth operation
- Easy to clean powder-coat paint finish
- Drawer liners included
- Needle bearing casters with 360° brake
- No. of Drawers: 12
- Load capacity per drawer is 88 lbs.
- Overall Dim.: 42" W x 18" D x 41" H



Model No.	MFG No.	Promo Price
NJH974	D069303	1320.00

## Secupro 625 Retractable Knife

- Fully-automatic retractable blade for safety
- Ergonomically-friendly trigger mechanism to engage the blade
- Durable body made of aluminum with soft-touch rubber for grip
- Easy, tool-free blade change
- Durability: Utility
- Depth of Cut: 5"
- Blade Material: Carbon Steel
- Handle Type: Cushion



**martor**  
USA

Model No.	MFG No.	Promo Price
PF891	625001.02	70.00

## Diagonal Cutting Pliers

- Precision tested jaws provide uniform cut
- Slim profile reaches into cramped quarters
- Nickel-plated finish resists rust
- Induction heat-treated cutting edge
- Smooth non-sticking lever mechanism
- Meets ANSI standards



**AURORA**  
TOOLS

Model No.	Overall Length"	Promo Price
UAV658	6	8.50

## Industrial Inlaid® Shears



- Professional dressmaker and industrial use
- Finest quality cutlery steel
- Comfortable, shaped handle
- Hot drop-forged nickel-plated blades
- Patented Set-Easy® pivot
- Handle Style: Rings
- Handle Angle: Offset
- Handle Orientation: Ambidextrous



Model No.	MFG No.	Cut Length	Overall Length	Promo Price
UG763	27N	3-1/8"	7-1/2"	34.00

## Jobber Length Drill Set

- Packaging and product are both recyclable
- No. of Pieces: 29
- Material: High Speed Steel



**CLARKSON OSBORN**

Model No.	MFG No.	Promo Price
WJ188	DR06228	169.00

## Deburring Blade Set

- Ideal For Metal and Plastic Edges, Cuts Both Right and Left
- No. of Pieces: 5
- Overall Dimensions: 5" L x 2-1/2" W x 1/4" H



**GRAY TOOLS**

Model No.	MFG No.	Promo Price
TY5070	DS-100-5	25.00

## Hand Tap Set

**DORMER**

- Versatile tap that can be used for both hand or machine tapping in a wide variety of materials
- Bright finish improves chip flow in soft or non-ferrous materials
- Comes with a male centre on the thread end
- Material: High Speed Steel
- No. of Flutes: 4
- Chamfer Type: Set
- Manufacturing Standards: ANSI
- Thread Form: Unified Coarse
- Manufacturer Series: 1500S
- Shank size: 0.255"
- Square size: 0.191"
- Cutting Direction: Right Hand
- Taper Grade: General Purpose



Model No.	MFG No.	Thread Size	Overall Length	Thread Length	Limits	Promo Price
TCQ465	5974933	1/4"-20	2-1/2"	1"	H3	33.00

## Single Flint Lighter

- Type: Single Flint Lighter



Model No.	Description	Promo Price
NT642	Flint Lighter	2.60
NT663	Flints, 5 per Holder	1.89

## Bernard® Style Welding Tip

- For Use With: Bernard® Style
- Amperage: 200, 300, 350, 400



Model No.	Type	Size	Promo Price
NT180	Contact Tip	0.035"	0.98

## 1.4-oz. Disposable Oxygen Cylinder

- Use with propylene gas for hottest brazing performance and light cutting/welding.
- Bottle



Model No.	MFG No.	Promo Price
TTU688	304180	24.80

## TS4000 High Heat Torch Trigger Start

- Swirl flame produces hot, efficient flame
- Cast aluminum body construction for durability
- Auto start/stop ignites and extinguishes flame
- For best results, use with MAP-Pro fuel, not included

TTU687

BV756



Model No.	MFG No.	Description	Promo Price
BV756	361524	Torch Trigger	92.80
TTU687	332478	14.1 oz MAP-Pro™ Gas Cylinder	17.90

## 176B Large Wrap-A-Round

- An inexpensive tool for marking straight lines around pipe, or for use as a straight edge
- Made of flexible gasket material
- Resistant to heat and cold
- Asbestos free with service temperature of up to 350°F
- Printed with a scale in inches, pitch chart, tangent chart and other useful markings
- Wraps feature a metric scale and pitch chart



Model No.	MFG No.	Size	W"	L'	Pipe Diameter	Promo Price
430-2370	14753	Large	3.88	6	3" to 10"	28.90

## WL942 Wet Weld Spatter Protectant

- Keeps welding tips and nozzles clean
- Prevents weld spatter from adhering
- Non-greasy
- Effective for all types of welding, especially MIG and TIG tips
- Does not contain silicone
- Surface may be painted after use
- For contact tips, weldments, electrode holders, fixtures, resistance welding tips and wheels
- Container Type: Aerosol



Model No.	MFG No.	Net Volume	Container Size	Promo Price
AA875	SC0942000	12 oz	15.5 oz	13.90

## High Performance LED Soldering Iron

- Three LED lights help illuminate the work area
- Round co-molded soft grip handle design for easy tip positioning
- Triangular handle area for maximum tip control
- Ceramic insulated stainless steel encased heater construction
- Tip and iron stand included
- Temperature Range: 750°F/400°C
- Standard Tip: TW162, TW163, TW164
- **Includes:** (1) Lead-Free Solder; (1) Soldering Aid Tool
- cUL listed



**Weller**

Model No.	MFG No.	Voltage Rating	Watts	Promo Price
TTV156	WLIR3012A	120 V	30	44.20

## Portasol™ Economical Butane Soldering Iron Kit

- Self-igniting portable butane heat tool can solder, cut rope and perform other open flame operations
- Allows anti-static soldering, ideal for electronics, avionics, cellular communications, alarm systems, marine and automotive
- Rugged stainless steel body
- Runs up to two hours on single refill



**Weller**

Model No.	MFG No.	Promo Price
BW163	PSI100K	194.00

## Heavy-duty Ground Clamp

- Manufactured from nickel-plated steel with forged brass conductors
- Braided copper strap to carry current to upper jaw
- Heavy-duty spring provides positive contact at jaws
- Cable is easy to install with built-in cable connector and oval point screw
- Allen-type wrench included



**WELD-MATE**

Model No.	Amperage Rating	Promo Price
NT668	300	17.50

## Cable Protector

- Durable leather with Kevlar® sewn seams
- Lightweight to enhance flexibility and strength
- Metal snaps every 3"
- For TIG, MIG, plasma and flux-cored torch cable/hose assembly



**WELD-MATE**

Model No.	Material	Length	Width	Promo Price
NP520	Leather	22'	4"	66.50

## 4-Cylinder Forklift Cylinder Storage Caddy

- Features a forkliftable design allowing for easy storage and transport
- Hinged retainer bars secure cylinders in place during handling
- Designed for convenient loading and unloading
- Equipped with a convenient storable ramp for effortless cylinder loading and unloading
- Dimensions: 32" W x 24" D x 46.5" H



**KLETON**

Model No.	Material	Type	Casters	Promo Price
MQ098	Steel	Portable	Blue Elastic	689.00

## Welder's Box & Small Chest

- Capacity: 3.3 Cubic Feet
- Material: Steel
- Weight: 33lbs

**CRESCENT  
JOBBOX**



Model No.	MFG No.	Dimensions W" x D" x H"	Promo Price
TEP348	650990D	30" x 16" x 12"	362.00

## Spotcheck® SKD-S2 Solvent Developer

- Improves indication detection by creating an optimal surface for penetrant indication formation
- Bright white, opaque coverage blocks all underlying surface color and quickly draws penetrant to the surface for stronger, clearer indication
- Reduces inspection time by minimizing post-inspection cleaning
- Easy-to-apply formula goes on cleanly, dries quickly and promotes fast indication formation to shave time off each step of the inspection process



**MAGNAFLUX®**

Model No.	MFG No.	Container Type	Size	Promo Price
NP702	01-5352-78	Aerosol	330 g	52.00

## Spotcheck® Penetrants - SKC-S Solvent Cleaners

- Red visible non-destructive test method which provides for the detection of surface discontinuities (flaws) in ferrous and non-ferrous test materials
- Ideal for applications where portability is required
- Vivid red colour permits daylight inspection
- Non-chlorinated cleaner/remover
- Used as a pre-cleaner, a post cleaner, and a penetrant remover



**MAGNAFLUX®**

Model No.	MFG No.	Container Type	Size	Promo Price
NP703	01-5750-78	Aerosol	300 g	48.00

## SF 7900™ Ceramic Shield for Welding

- Ceramic dry film protective coating for MIG/MAG welding processes.
- Protects contact tips and welding nozzles by preventing adhesion of welding spatter
- Once applied the coating dries by solvent evaporation within 5 to 10 seconds at room temperature (Thicker films will need longer drying time)
- Ceramic, silicone-free protective coating, easy to apply
- Size: 9.5oz net weight
- Type: Protective coating



**LOCTITE**

Model No.	MFG No.	Container Type	Promo Price
AD492	1616692	Aerosol	57.00

## Nozzle Gel

- For MIG gun nozzles and contact tips
- Suitable for use on fixtures of semi-automatic and automatic welding equipment
- Non toxic, odourless
- Not flammable, silicone free
- Size Net Wt.: 16 oz.
- Product Type: Anti-Spatter



**DYNAFLUX**  
QUALITY PRODUCTS

Model No.	MFG No.	Container Type	Format	Promo Price
720-1071	731-16	Gel	Jar	12.90

## E-Weld Nozzle Anti-Spatter

- Ceramic anti-spatter that protects welding nozzles
- Provides unrivaled protection of welding nozzles in manual, semi-automated and fully-automated MIG welding applications
- Reduces downtime by extending nozzle life
- Protects welding nozzles for 8 hours
- Maximum Operating Temperature: 1832°F (1000°C)



**WALTER**  
Surface Technologies

Model No.	MFG No.	Container Type	Size	Promo Price
AF017	53F212	Aerosol	400 ml	51.60

## E-Weld 3 Weld Spatter Release Solutions

- Effectively protects work pieces and welding equipment (such as torches, robots and jigs) eliminating costly spatter removal work
- Best for general purpose welding
- Contains temporary corrosion inhibitors
- Prevents weld spatter from sticking
- Reduced toxicity; no methylene chloride, no silicone, biodegradable, VOC-free, and NSF and CFIA certified



**WALTER**  
Surface Technologies

Model No.	MFG No.	Container Type	Size ml	Size fl.oz.	Promo Price
AA903	53F002	Aerosol	400	13.5	14.70

### 3<sup>®</sup> Premier Rust Inhibitor

- Protects up to two years
- Stops rust and corrosion
- Provides non-sling lubrication
- Non-flammable propellant
- Provides anti-seize coating
- Safe to use on rubber, fabric, plastics and paints
- Accepted for use in Canadian food processing facilities
- Format: 380 ml
- Container Type: Aerosol Can
- Net Volume: 11 oz.
- Container Size: 16 oz.



Model No.	MFG No.	Promo Price
AA808	C30316	32.49

### ZeroTri<sup>®</sup> Heavy-Duty Degreaser

- Heavy-duty solvent
- No rinsing and no residue
- Fact-acting
- Accepted for use in Canadian food processing facilities
- Format: 15 oz.
- Container Type: Aerosol Can



Model No.	MFG No.	Promo Price
AA787	3520	41.20

### Rust Release Penetrant

- Break the rust bonds that hold stuck parts together
- Specifically targets corroded or rusted components and mechanisms to help release stuck or seized parts quickly
- Penetrant has an extremely low surface tension, meaning it can cut through rust, seams and tightly-bonded threads to easily saturate and lubricate seized fixings
- Format: 311 g
- Container Type: Aerosol Can
- For Use On: Metal, Rubber, Plastics, Alloys & Most Paints
- Temperature Range: -20°C to +90°C



Model No.	MFG No.	Promo Price
AH420	1278	13.40

### Knock'er Loose<sup>™</sup> Penetrating Solvent

- Super penetrant that is designed to quickly loosen and free seized, bound or frosted fasteners
- Industrial strength
- Low viscosity
- Quickly permeates rust, scale, gum, grease and corrosion
- Format: 16 oz.
- Container Type: Aerosol Can



Model No.	MFG No.	Promo Price
AF104	1006142	19.40



### Parts Cleaner & Degreaser

- Destroys the toughest oil, dirt, varnish, grease, and grime to clean automotive metal parts including carburetors, chokes, air intakes, throttle bodies, brake drums, rotors, calipers – up to 14X faster than competitive products
- Leaves no residue, dries fast and meets SAEJ2784 and ASTM D1353
- Using advanced cleaning technology, combined with PowerJet<sup>™</sup> Spray Nozzle
- Format: 396 g
- Container Type: Aerosol Can



Model No.	MFG No.	Promo Price
AH433	1755527	14.60



### Thread Sealant 592 PST<sup>™</sup> Slow Cure

- Locks and seals threaded fittings
- Parts may be repositioned up to 24 hours after application
- Withstands temperatures to 400°F
- Colour: White
- Net Volume: 50 ml
- Container Type: Tube
- Temperature Range: -53.88° C - 204° C / -65° F - 400° F



Model No.	MFG No.	Promo Price
AC100	209761	29.50



## Uvex HydroShield® Genesis® Safety Glasses

- Permanent coating bonded to the lens means no application or maintenance
- Hydrophilic and hydrophobic
- Standard(s) Met: ANSI Z87+, Meets/Exceeds CSA Z94.3
- Lens Coating: Anti-Fog, Anti-Scratch
- Frame Colour: Black



SGW314



Model No.	MFG No.	Lens Tint	Promo Price
SGW314	S3207HS	3	15.59
SGW315	S3208HS	5	16.95

## Welding Helmets

- Lightweight design with ratchet headgear
- Comes complete with shade 10 lens
- Passive lens
- Material: Thermoplastic



NT645

NT687



Model No.	Type	Window Dimensions"	Promo Price
<b>MEETS ANSI Z87.1-1989, SECTION 10 AND 11</b>			
NT645	Flip Front	2 x 4 1/4	24.65
<b>MEETS ANSI/ISEA Z87.1-2015</b>			
NT687	Fixed Front	4 1/2 x 5 1/4	42.99

## Flame Retardant Sleeves

- Manufactured from flame retardant treated cotton sateen
- Will retain its flame-retardant properties for up to 50 normal washings
- Colour: Black
- Certification: ASTM D6413-13b

Model No.	Length"	Promo Price
TTV011	18	9.85/Pair
TTV012	23	12.35/Pair

TTV011



## Mad Cow Welding Gloves

- Reversed-grain cowhide leather
- Clute cut design with straight thumb offers comfort and flexibility
- Leather back patch, reinforced thumb saddle, and pulse protector for additional padding and protection
- Inner Lining: Unlined
- Leather Palm Type: Grain Cowhide
- Cuff Style: Gauntlet
- Thumb Style: Straight



SGW900

Model No.	MFG No.	Size	Promo Price
SGW900	2735-S	Small	15.49/Pair
SGW901	2735-M	Medium	15.49/Pair
NJZ007	2735-L	Large	15.49/Pair
NJZ008	2735-X	X-Large	15.49/Pair

## Hard Hat Suspender Headgear Pads

- Field tested to improve helmet grip with maximum perspiration absorption
- Flame retardant for added safety
- Made of an absorbent air cushioned layer lined with 100% fleece cotton
- Hook and loop fastening system designed to fit all major brands of headgear
- Sold per package of two



SAM548



620-3200V



620-3100V

Model No.	Description	Promo Price
620-3200V	Suspender Pads For Use With Hard Hats	3.55/Pkg.
SAM548	Sweatbands	3.55/Pkg.
620-3100V	Non-Suspender Pads For Use With Welding Helmets	3.55/Pkg.

## Lava Brown™ Leather Spats

- Heat and flame-resistant leather is made from durable side split cowhide
- Designed to allow even weight distribution on the user to reduce fatigue
- Sewn with Kevlar thread
- Electrical insulated snaps
- Certification(s): EN ISO 11611:2015 Class 2/A1+A2



TTU390

Model No.	Length"	Promo Price
TTU390	6	27.49/Pair
TTU391	14	58.95/Pair



## Uvex® A700 Series Safety Glasses

- Lightweight design with sport temples
- Soft temple tip pads provide a secure, comfortable fit
- Moulded universal nose bridge
- 9-base polycarbonate hard coated lenses provide 180° field of distortion-free vision
- Standard(s) Met: Meets/Exceeds CSA Z94.3
- Lens Coating: Anti-Scratch

SAO669

**PIP**  
GLOBAL SAFETY



SAO670



Model No.	MFG No.	Lens Tint	Frame Colour	Promo Price
SAO669	A700	Clear	Clear	2.39
SAO670	A701	Grey/Smoke	Grey	2.64

## Passive Ear Muffs

- Precise and secure fit provided by smooth, telescopic adjustment
- Designed for lasting comfort with extra-soft memory foam cushions and low weight padded headband
- High quality insulating and sound dampening materials in these noise-blocking ear muffs help reduce sound levels
- ANSI Certifications: ANSI S3.19

**ZENITH**  
Safety Products



SHL232



SHL233



SHL234

Model No.	Style	NRR dB	Colour	Promo Price
SHL232	Headband	25	Yellow	11.19
SHL233	Headband	28	Black & Red	14.19
SHL234	Cap Mount	27	Yellow	11.95

## Contrast-Striped Safety Vest

- Lightweight, cooling mesh fabric
- 4.5oz shell fabric is 100% polyester mesh
- MeshAir aerated mesh fabric to increase air flow
- X-back striping pattern provides additional wearer visibility
- Reflective Stripe Colour: Yellow & Silver
- Standard(s) Met: Meets/Exceeds CSA Z96 Class 2 - Level 2

SHM201



**IFR**  
BY PORTWEST

Model No.	MFG No.	Size	Promo Price
SHM201	CA101OR-S	Small	12.75
SHM202	CA101OR-M	Medium	12.75
SHM203	CA101OR-L	Large	12.75
SHM204	CA101OR-XL	X-Large	12.75

## X-Site™ Mechanic's Gloves

- Spandex backhand
- Foam padded palm for anti-vibration properties
- Neoprene knuckle
- Elastic wrist with Velcro closure
- Palm Material: Grain Goatskin
- Colour: Black & Yellow
- Cuff Style: Hook & Loop



NJC323

**BDG**  
BOB DALE GLOVES

Model No.	MFG No.	Size	Promo Price
NJC323	20-1-1214-M	Medium	11.95/Pair
NJC322	20-1-1214-L	Large	11.95/Pair
NJC325	20-1-1214-XL	X-Large	11.95/Pair
NJC321	20-1-1214-X2L	2X-Large	11.95/Pair

## 2200 Particulate Respirators

**MOLDEX**

- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Flame retardants are added to the shell to help decrease flammability
- Certification(s): NIOSH
- Style: Cup
- Type: N95
- Sold per box of 20



SE451

Model No.	MFG No.	Size	Promo Price
SE451	2200N95	Medium, Large	31.39/Box
SE452	2201N95	Small	31.39/Box
SE848	2207N95	Low Profile	31.39/Box

## RZ500 Flame Resistant Rain Suit

- Yellow tear-resistant PVC/Nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Material Thickness: 0.35 mm
- Standard(s) Met: CGSB 155.20



SEH099

**ZENITH**  
Safety Products

Model No.	Size	Promo Price
SEH099	Small	26.65
SEH100	Medium	26.65
SEH101	Large	26.65
SEH102	X-Large	26.65
SEH103	2X-Large	26.65
SEH104	3X-Large	27.45
SEH105	4X-Large	28.35

## Heavy-Duty Tool Box

- ABS plastic latches
- Heavy-duty polypropylene fabrication
- Deep storage compartments
- Padlock eye for safe storage
- Overall Dim.: 15" W x 7"D x 5-1/2"H
- Features: 1 Removable Inner Tray

**AURORA**  
TOOLS



Model No.	Promo Price
TLV082	27.30

## ATB100 Portable Tool Box with Metal Tool Tray

**AURORA**  
TOOLS

- Durable steel construction
- Heavy-plated latches
- Inner trays in regular hand boxes
- High gloss powder coat paint finish
- Overall Dim.: 16" W x 6" D x 6-1/2" H
- Unit Capacity: 50 lbs.



Model No.	Promo Price
TEP516	67.30

## ARX™ Rolling Toolbox Base

**AURORA**  
TOOLS

- Telescopic & removable handle
- 9" Rubber covered wheels
- Overall Dimensions: 25-1/5" L x 19" W x 26" H
- Capacity: 52 Litres
- Wheel Diameter: 9"
- Payload Capacity: 220 lbs.
- Weight Capacity: 100



Model No.	Promo Price
UAX718	127.00

## Jobsite Tool Box

- 2-gas struts to assist with lid opening
- Piano hinge closes lid securely to keep the elements out
- Rubber grommet to allow electrical cord pass through
- Overall Dim.: 60" W x 24" D x 27-1/2" H
- Material: Steel
- Capacity: 20 Cubic Feet
- Load Capacity: 1,100 lbs.



**AURORA**  
TOOLS

Model No.	Promo Price
UAW870	599.00

## Mini Flammable Safety Cabinet

- Offers a small footprint for easy storage on service vehicles, carts, and maintenance trikes
- Three bungee cords help keep contents in place during movement
- Help protect workers and prevent fire hazards with code-compliant safety cabinets for flammable materials
- Manual-close, self-latching doors swing open a full 180° and shut securely with a simple push—locking tight to protect in the event of a fire
- Capacity: 2 Gal.
- Overall Dim.: 17" W x 8" D x 22" H
- No. of Doors: 1
- No. of Shelves: 1
- Standard(s) Met: NFPA, OSHA
- Material: Steel



**ZENITH**  
Safety Products

Model No.	Promo Price
SHN743	625.00

## Pesticide Storage Cabinets

- Provides safe, secure and controlled storage for pesticides, insecticides, herbicides and other turf chemicals
- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open to a full 180° for easy access
- No. of Doors: 2
- Door Type: Manual
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids



SGD360

**ZENITH**  
Safety Products

**10 YEAR**  
Limited Warranty

Model No.	Capacity	Overall Dim. W" x D" x H"	No. of Shelves	Promo Price
SGD360	30 gal.	43 x 18 x 44	1	1379.00
SGD361	45 gal.	43 x 18 x 65	2	1555.00

## 312A Bottle Jack

- Can be used in vertical and horizontal positions (valve side down)
- Factory pre-tested to 150% of rated capacity
- Heat treated piston for maximum strength
- Heavy duty steel saddle for secure lifts
- Lifting Capacity: 12 Ton(s)
- Lowered Height: 8-1/2"
- Raised Height: 17"



**STRONGARM**

Model No.	MFG No.	Promo Price
LA812	30106	159.00

## 320A Bottle Jack

- Can be used in vertical and horizontal positions (valve side down)
- Factory pre-tested to 150% of rated capacity
- Heat treated piston for maximum strength
- Heavy duty steel saddle for secure lifts
- Lifting Capacity: 20 Ton(s)
- Lowered Height: 9-1/2"
- Raised Height: 18-1/4"



**STRONGARM**

Model No.	MFG No.	Promo Price
LA814	30110	220.00

## Pipe & Bar Cradle Truck

- All-welded steel construction, ready to use
- Raised ergonomic bed height of 20" is ideal for shop environment
- Cradle is 19-1/2" W x 14" H
- 6" heavy-duty swivel casters allow for greater maneuverability in tight spaces and can turn on their axes
- Recessed side decks allow for loading and unloading with a lift truck
- Overall Dimensions: 36" L x 24" W x 34" H
- Capacity: 2500 lbs.
- Wheel Material: Polyurethane


**KLETON** 



Model No.	Promo Price
MP038	535.00

## All-In-One Drum Truck

- All-welded design with 1 1/4" round tube
- Drum trucks can be used to transport and dispense drums
- Easy-to-use belt-system and hook keeps drums securely on the truck.
- Easy to load and unload on skids
- Drum Capacity: 25 - 55 US Gal. (20 - 45 Imperial Gal.)
- Frame Material: Steel
- Drum Type: Steel, Plastic, Fibre
- Handle Type: Dual
- Working Load Limit: 1200 lbs./544 kg.
- Wheel Type: 10" Pneumatic



Model No.	Promo Price
DC257	543.00

**KLETON** 

## Gas Cylinder Carts

- Choice of carts for a wide range of cylinder sizes and terrains
- Capacity: 144 cu.ft. or 244 cu.ft., oxygen, 130 cu.ft., acetylene cylinders
- Cart Material: Steel
- Frame Material: Steel
- Capacity: 1000 lbs.
- Wheel Type: Semi-Pneumatic
- Wheel Diameter: 10"



**KLETON** 

Model No.	Base W" x D"	No. of Cylinders	Promo Price
ML416	12 x 18	1	260.00
ML417	19 x 10	2	293.00

## Gas Cylinder Cabinets

- 14-gauge checker-plate roof panel
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- Holds: Liquid Propane (35lbs. Cylinders)
- **Note:** Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.



**KLETON** 

Model No.	Overall Dim. W" x D" x H"	No. of Cylinders	Promo Price
SAF836	44 x 30 x 37	6	1016.00
SAF847	44 x 30 x 74	12	1356.00

## 20" Box Fan

- 3-speed control
- Five slim blades
- Fully assembled and ready to use
- Designed to efficiently circulate airflow to reach desired comfort levels with a three speed-settings feature
- Top-mounted controls



Model No.	Promo Price
EA527	44.95

## Oscillating Pedestal Fan

- All-metal construction
  - 6.5' SJT power cord
  - Features adjustable height and a heavy-duty round base for added stability
- Open motor & direct drive
  - Horse Power: 1/16 HP
  - Motor: 120 V/60 Hz
  - No. of Speeds: 3



Model No.	Dia.	High	CFM Med	Low	Promo Price
EB239	22	4500	3700	2900	169.00

## Pedestal Fan with Casters

- 2.5" wheels for easy manoeuvrability
- Energy efficient motor
- High-medium-low speed options
- Diameter: 30"
- No. Of Speeds: 3
- Usage Type: Industrial
- Noise Level: 74 dBA
- Output Power: 80 W
- RPM: 1100



EB573



Model No.	Description	High	CFM Medium	Low	Promo Price
EB574	Oscillating	5320	4272	2880	334.00
EB573	Non-Oscillating	5320	4272	2880	304.00

EA666



EA667

## Heavy-Duty Oscillating Fans

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal model features adjustable height and heavy-duty round base for added stability
  - 9.8' SJT power cord
  - Diameter: 30"
  - Open motor

Model No.	Description	High	CFM Med	Low	Promo Price
EA667	Wall Mount	13400	7805	5070	603.00
EA666	Pedestal	13200	7321	4758	712.00

## High Velocity Floor Fan

- All-metal construction
- Vertical pivot fan head
- Copper motor for longer lifetime
- Diameter: 20"
- No. of Speeds: 3
- HP: 1/5



Model No.	High	CFM Med	Low	Promo Price
EA661	4900	4400	4150	155.00

## Industrial Workstation Fans

- 120 V/60 Hz enclosed motor
- Durable, black powder-coated finish
- Features 1.8m power cord with UL/CUL plug



EB540

## 180° Double Locking Arm with 2 Receptacles

- Moveable arm to accommodate many locations, applications and positions
- Wide range of motion - will not sag when extended
- 2 AC receptacles for easy fan hook-up
- Length: 40"



EB541



EB539

Model No.	Dia. "	No. of Speeds	CFM	HP	Promo Price
EB540	12	3	2600	1/12	95.95
EB541	18	3	3800	1/4	159.00
EB542	24	2	8600	1/3	259.00

## 180° DOUBLE LOCKING ARM WITH 2 RECEPTACLES

EB539	159.00
-------	--------

## Contractor Duty Rubber Hoses

- All weather flexibility even in sub-zero conditions: -30°C (-22°F) to +82°C (180°F)
- Kink resistant under pressure
- Excellent abrasion resistant outer cover
- 400 PSI maximum pressure
- Easy coiling after use
- Hose Diameter: 5/8"
- Couplings: Brass

**AURORA**  
TOOLS

NO486



Model No.	Hose Length'	Promo Price
NO486	25	32.95
NO487	50	47.20
NO488	100	89.25

## Hydration Drink Mixes

**THIRSTY**

- Convenient and waterproof single serve stick packs reduce the transmission of germs compared to communal hydration stations
- Comes in a resealable stand-up pouch
- Add stick pack to bottle with 500 - 750 ml of cold water and shake well
- By exceeding OHS recommendations or heat stress prevention, provides the body with crucial vitamins, minerals and amino acids without any added sugar or artificial colours
- No. of Single Servings Per Bag: 40

SHI651



Model No.	MFG No.	Flavour	Promo Price
SHI651	BAG1040-RAZ	Blue Raspberry	42.95/Bag
SHI652	BAG1040-LEM	Lemonade	42.95/Bag
SHI653	BAG1040-FRP	Fruit Punch	42.95/Bag
SHI654	BAG1040-ORN	Orange	42.95/Bag
SHI655	BAG1040-LLM	Lemon-Lime	42.95/Bag

## Sqwincher® ZERO® Rehydration Drinks

**SQWINCHER ZERO**

- Solution formulated for diabetics or consumers watching their daily carbohydrate intake
- Get the same electrolyte content as regular Sqwincher® without any calories or sugar
- Yields large quantities to cover your whole crew
- Mixes instantly when water is added - no stirring required
- Screw-on cap allows you to reseal the bottle
- Format: Concentrate
- Package Size oz.: 64
- Package Yield (gal.): 5

SAN536



Model No.	MFG No.	Flavour	Promo Price
SAN536	11050507-OR	Orange	25.50
SAN534	11050504-LL	Lemon-Lime	25.50
SAN533	11050502-FP	Fruit Punch	25.50

## Pistol Grip Nozzles

**AURORA**  
TOOLS

- Continuous-spray stainless steel clip
- Rear-Trigger
- Threaded for accessories



NM814

NM815

NM816

NO590

NM817


Model No.	Max. Pressure PSI	Water	Insulated	Body Material	Promo Price
<b>VINYL MOLDED COMFORT GRIP</b>					
NM814	100	Cold	No	Zinc & Vinyl	7.65
<b>HEAVY-DUTY CONSTRUCTION &amp; COMPONENTS</b>					
NM815	100	Warm & Cold	Yes	Zinc & ABS	5.75
NM816	100	Warm & Cold	Yes	Zinc & TPR	5.15
NO590	60	Warm & Cold	No	Zinc	5.45
<b>ERGONOMIC GRIP FOR LONGER USE</b>					
NM817	100	Hot & Cold	Yes	Zinc & TPR	7.85

## Sqwincher® Rehydration Drink Fast Pack®

- Convenient and cost effective packaging format
- Packet can be used as a drinking cup; simply open it and add water to fill
- Features a no-stir formula
- Handy, portable size lets you take Sqwincher® almost anywhere
- Format: Single Serve
- Serving Size oz.: 0.6
- Serving Yield (oz.): 6
- Servings/Package: 50

SAF872

**SQWINCHER**



Model No.	MFG No.	Flavour	Promo Price
SAF872	11080	Lemonade	49.95/Pkg
SAF873	11081	Fruit Punch	49.95/Pkg
SAF878	11086	Orange	49.95/Pkg
SAF874	11082	Lemon-Lime	49.95/Pkg

## Sqwincher® Pump Spout

- Dispenses Sqwincher® liquid concentrate
- One pump yields one 12 oz. cup of Sqwincher® when mixed with water
- Yield (oz.): 1

**SQWINCHER**



Model No.	MFG No.	Promo Price
SAF901	11302	9.95

## Cubitron™ 3 Flat Flap Disc 1169F

- Delivers long-lasting premium performance and versatility which will boost your productivity
- Contains our new 3M Precision-Shaped Grain, now re-engineered with curved sides, which cuts faster and lasts longer than conventional abrasive grain
- Proven to outperform traditional alumina zirconia flap discs
- Individual flaps break down, exposing fresh mineral to deliver consistent cut rate for the life of the disc
- Abrasive Material: Ceramic
- Attachment Type: Centre Hole
- Bond Type: Resin
- Coat Type: Open coat
- Flap Density: Standard
- Max. Speed: 12000 RPM
- Case of 10



**NEW**

Model No.	MFG No.	Grit	Dia.	Arbor Size	Type	Promo Price
NZA072	7100380493	40+	5"	7/8"	T27	11.69/Ea.

## X-Large Cleaning Wipes

- Helps remove grease, oil, sludge, silicon, tar, adhesives, paint, dirt, and more
- Suitable for hands and surfaces
- No water required
- Lemon oil formula
- No. of Wipes: 80
- Length: 8"
- Width: 8"
- Box of 80



**NEW**

Model No.	Promo Price
JQ682	18.99/Box

## SP-400™ Corrosion Inhibitor

- Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres
- Ideal on machined surfaces and assemblies subjected to long periods of storage
- Container Type: Aerosol Can
- Container Size: 16 oz.
- Net Container Size: 284 g



Model No.	MFG No.	Promo Price
AF108	1006194	21.80

## Small Cleaning Industrial-Duty Scratch Brush

- Wood handle
- Smooth finish for extra comfort
- Brush Length: 1-1/2"
- Overall Length: 7-3/4"
- Wire Rows: 3 x 7
- Trim Length: 1/2"
- Fill Material: Stainless Steel



Model No.	Promo Price
NT615	1.30

## Magnetic Right Angle Flashlight

- Equipped with both a spot and flood LED for close-up as well as distance
- Can be activated to run one or both LEDs with 3 levels of brightness
- The articulating head and built-in clip allows the light to be directed wherever it is needed
- Security lanyard
- Powered by 3 AA alkaline batteries, included
- Run Time Hrs. (High): 6
- Run Time Hrs. (Low): 15
- Body Material: Plastic
- Beam Distance (High): 133 m
- Length: 7.44"
- Light Modes: Spot/Flood, Flood, Spot, Flashing
- Certification(s): Class I, Division 1 / Class II, Division 1 / Class III, Division 1 / IECEx ia



Model No.	MFG No.	Lumens (High)	Lumens (Low)	IP Rating	Promo Price
XI300	034150-0302-245	336	177	IPX8	79.95

## Foam Earplugs

- Smooth finish resists dirt and helps prevent build-up
- Comfortable, soft foam promotes long-term use
- Bright orange for visibility
- Pairs are individually packaged
- NRR dB: 32
- Size: One-Size
- Certification(s): Meets/Exceeds CSA Class AL
- Packaging: Pair - Polybag

**NEW**



SHL762



Model No.	Style	Qty /Box (Pairs)	Promo Price
SHL761	Uncorded	200	21.99/Box
SHL762	Corded	100	23.99/Box

Pricing in effect until June 26, 2026 or while quantities last. Taxes and freight extra. Issue #SDW226042NA

Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices and minimum order multiples are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.